

PRODUCT BROCHURE



AI Intelligent Security System Solution Provider

IPC + NVR + APP + VMS



VMYCAM



LinkEasy



ENZT APP



Tuya APP




VHDCAM

EnZhi HuaDaTong (ShenZhen) Digital Technology Co., Ltd.


Company Profile

EnZhi HuaDaTong (Shenzhen) Digital Technology Co.,Ltd, located in Longgang, Shenzhen, China, is a subsidiary of Wuhan EnZhi Electronic Technology Co., Ltd. With 15 years of history, it is a high-tech enterprise that serves the global market. The company specializes in the research, development, production, and sales of security IPC, NVR, APP and VMS. Holding multiple patents and intellectual property rights, providing security solution OEM/ODM services for global clients, including some Fortune Global 500 companies.


6 AI Function




01 Line-crossing detection




02 Vehicle retrograde



03 Staff absence



04 Loitering



05 Area intrusion




06 Vehicle illegal parking

PoE Kit AI Function



A1 License plate recognition



A2 Face recognition



A3 People counting



B1 Human detection



B2 Vehicle detection



B3 Pet detection

PoE Kit

Human Detection PoE Kit



B018 4MP
4/8/16CH



B018+DY 4MP
4/8CH



B018 4MP
4/8/16CH

AI Intelligent PoE Kit



BI+MC 4/6/8MP
4/8CH



CF 4/6/8MP
4/8/16CH



BI 4/6/8MP
4/8/16CH

Ultra-low-light Black Fighter / PT PoE Kit



B012 4MP
4/8/16CH



PC 4MP
4/8CH-Dual light



PC 4MP
4/8CH-Black fighter

Tuya APP PoE Kit



B025 4/6/8MP
4/8/16CH



B025+MC 4/6/8MP
4/8CH



B025 4/6/8MP
4/8/16CH

IP Camera

Fixed Lens Human Detection IP Camera



B012 2/4/5/8MP
Fixed lens



MD 2/4/5/8MP
Fixed lens



D001 2/4/5MP
Fixed lens



DY 3MP
Dual lens

Motorized Lens Human Detection IP Camera



MT 2/4/5/8MP
Motorized



B026 2/4/5/8MP
Motorized



D015 2/4/5/8MP
Motorized



OF 2/4/5/8MP
Motorized

AI Intelligent IP Camera



B012 4/6/8MP
Fixed lens



WA 4/6/8MP
Fixed lens pan & tilt



B006 4/6/8MP
Motorized



D201 6/8MP
Motorized pan & tilt

Ultra-low-light Black Fighter IP Camera



B019 2MP
Human detection
fixed lens



B009 2MP
Human detection
fixed lens



MT 4/6MP
AI fixed lens



B011 4/6MP
AI fixed lens


AI Intelligent Scene Applications

License Plate Recognition



- Support license plate recognition , support blacklist linkage , support whitelist linkage
- Support PoE power supply function, support specified target type detection: cars, trucks, buses

Precision Management OSD Sensor Series



- Sensor OSD overlay supports simultaneous display of 8 sensors
- Support simultaneous display of 8 sensors

Intelligent Constant-Temperature Camera Series



- Heat when the temperature is below the set low temperature, and cool when the temperature exceeds the set high temperature
- It is resistant to extreme environments and has a longer service life

Dual Lens Zoom Camera Series



- Support 5X zoom
- Stepless zoom offers smoother performance

Precision Traceability Barcode Scanner Series



- Scan the QR code for traceability, and obtain evidence quickly
- Channel binding & Plug and Play
- Embedded system, no computer host required
- Support video recording query and download Via NVR/APP/IMS/VMS/IE

Flame Detection Series



- Support flame shape detection and color recognition
- Support custom voice
- Support local video recording (TF card) and offline video supplementary recording

Consumer IP Camera

Intelligent AOV Low Power Consumption Series




P212 P002

- Low power consumption, long battery life, storage saving


Wireless WiFi Camera Series



PC 6/8MP
4CH-WiFi



PC 6/8MP
8CH-WiFi




PC 6/8MP
16CH-WiFi



BI 6/8MP
4CH-WiFi



BI 6/8MP
8CH-WiFi



BI 6/8MP
16CH-WiFi



MC 6/8MP
4CH-WiFi



MC 6/8MP
8CH-WiFi

- Support WiFi
- Wireless installation with unlimited flexibility

Speed Dome PTZ IP Camera

Bullet and PT Camera Two in One Linkage Speed Dome PTZ IP Camera



- Resolution: 6MP*2=12MP, 8MP*2=16MP
- Bullet: F1.0 lens, alarm tracking distance 50M
- Speed dome: 20X optical zoom lens (5.6-99mm)
- Dual IP, dual video image

QQLD 6/8MP
7 inch 20X Zoom



- Resolution: 6MP*5=30MP, 8MP*5=40MP
- Bullet: F1.0 lens*4, alarm tracking distance 50M, monitoring angle 240°
- Speed dome: 20X optical zoom lens (5.6-99mm)
- 5 IP, 5 video image

QQLD 6MP
6 inch 20X Zoom

High Speed Dome PTZ IP Camera



405S 5/6/8MP
20X Zoom



501X 5/6/8MP
20/33X Zoom



601X 5/6/8MP
20/33X Zoom



705S 5/6/8MP
20X Zoom

Medium Speed Dome PTZ IP Camera



502X 5/6/8MP
20X Zoom



PH 2/5/6/8MP
20X Zoom



PT 5/6/8MP
20X/30X Zoom



903D 5/6/8MP
20X Zoom

Consumer IP Camera

WiFi / 4G, Fixed Lens Bullet / Dome



BI 3/5MP
Human detection/AI



MC 3/5/6/8MP
Human detection/AI



B050 6/8MP
AI



OF 6/8MP
AI

WiFi/4G, Ultra-low-light Black Fighter Human Detection / AI Fixed Lens IP Camera



PS 4/5MP
Black fighter, AI



PA 4/5MP
Black fighter, AI



PC 4/5MP
Black fighter,
Human detection



PK 4MP
Black fighter,
Human detection

WiFi / 4G, Dual Light Human Detection Fixed Lens PT IP Camera



PK 3/5MP
Dual light fixed lens



PS 3/5MP
Dual light



PC 3MP/5MP
Black fighter /
Dual light



PC 3MP/5MP
Dual light

PT Fixed Lens / Motorized Lens IP Camera



WA 4/6/8MP
AI WiFi



WA 4/6/8MP
AI



D201 6/8MP
AI WiFi



D201 6/8MP
AI Motorized

Network Video Recorder

Ingenic Single Lan Port NVR




1HDD 10/16CH
Small 1U Bandwidth 80/150M



1HDD 10/16CH
Small 1U Bandwidth 80/150M
built-in microphone and speaker



2HDD 36CH
1U Bandwidth 150M



2HDD 10/16CH
1U Bandwidth 80/150M
built-in microphone and speaker



4HDD 36CH
Small 1.5U Bandwidth 150M



4HDD 36CH
Small 1.5U Bandwidth 80/150M
built-in microphone and speaker

Ingenic Dual Lan Port NVR



1-2HDD 10/16CH
Small 1U Bandwidth 80M



2HDD 36CH
1U Bandwidth 150M



4HDD 36CH
Small 1.5U Bandwidth 150M

Ingenic PoE NVR



1HDD 4CH PoE
Small 1U Bandwidth 80M



1HDD 8CH PoE
Small 1U Bandwidth 80M




1HDD 16CH PoE
Small 1U Bandwidth 80M



2HDD 16CH PoE
1U Bandwidth 80M



1HDD 16CH PoE
Small 1U Bandwidth 150M



2HDD 16CH PoE
1U Bandwidth 150M

Network Video Recorder

Rockchip RK3568 NVR



4HDD 36/64CH
Small 1.5U Bandwidth 512/380M



4HDD 36/64CH
1.5U Bandwidth 512/380M



9HDD 36/64CH
2U Bandwidth 512/380M



16HDD 64CH
3U Bandwidth 512M

Rockchip RK3588 NVR



9HDD 64/128CH
2U Bandwidth 800M



16HDD 64/128CH
3U Bandwidth 800M



16HDD 196CH
3U Bandwidth 800M



24HDD 128/196CH
4U Bandwidth 800M



32HDD 128/196CH
6U Bandwidth 800M


- Integrated with the HK private protocol
- Up to 196CH IPC input
- 4 HDMI different output, single-screen 8K display output
- 16CH alarm input and 8CH alarm output
- Support voice broadcasting
- Support RAID, IPSAN, NAS storage
- Support hot swapping
- Support ANR

Embedded VMS Diagram

Embedded VMS3.0 Diagram

Type 1: Centralized management of LAN


(IPC/NVR and VMS are in the same LAN)



Embedded VMS3.0 Diagram

Type 2: WAN Access

(IPC/NVR and the VMS server are not in the same LAN)



Embedded VMS

Products Advantages

Compared with ordinary security solutions, this product achieves three core values of "cost reduction, efficiency improvement, and stable operation" through its "hardware-software integration" architecture: the deployment cost is reduced by approximately 50%, the incident handling efficiency is increased by around 40%, and the system stability is improved by roughly 30%. It provides users with a medium-to-large-scale security solution that combines cost-effectiveness and reliability.



EH-SK-9-1024-E-ABDKRU

2U 9HDD 1024CH
Supported IPC Resolution:
12MP/4K/5MP/3MP/2MP

EH-SK-9-2048-E-ABDKRU

2U 9HDD 2048CH
Supported IPC Resolution:
12MP/4K/5MP/3MP/2MP

Embedded VMS Introduction

- ◆ Supports access to 1024/2048CH (total sum of access recorder channels) of recorders
- ◆ Supports single-screen 8K display output and 4CH HDMI heterogeneous display output (3*4K + 1*1080P)
- ◆ Supports real-time alarm information display and alarm statistics
- ◆ Access bandwidth: 800M
- ◆ Compatible with H265, H264, and H265+ triple-stream formats